Approved For Release 2006/12/04 : CIA-RDP70-00211R000500040014-6

(#hen_Filled_In-)						
SPEED LETTER	REF	REPLY REQUESTED			DATE 27 October 1966	
	x	YES		N 0	LETTER NO.	1,000
TO : Office of Enspector General	FROM:	Chi	ef, F	Reco	ords Administratio	n Branch.
7D-49, Headquarters	Support Services Staff, DDS 25					
1. As you know, a shortage of file equipment attempting to release as many safes as possib President has also extended his moratorium on this makes it even more essential that we bet	le f the	or i	reass rchas	sigr se c	ment and reissue. of file equipment.	The and
2. If any Offices within your component are reports, supplies, forms, periodicals, and ot in supply cabinets which occupy valuable offictype of equipment which may be mounted on the	her ce s	mate Dace	erial	ls i	n active file equal of the contract of the con	ipment, or
3. The attached brochure from the General Fittype of over-file storage cabinets. And while of this equipment, this brochure was one immed to you as a matter of general information. Aldisplay in Room 702, Magazine Building, which	e th diat lso.	is o ely we	ompa avai have	ny .lab - a	is not the only s le; so, we are se piece of this equ	upplier
4. I would appreciate your comments as to the storage cabinet idea. If you are interested fully equipment, let us know. If you are interested to contact us for assistance.	in o	btai	ning	mo	re information ab	out this
Att: Equipment Brochure		,		I,	DATE	
REPLY						
I think the over-file storage cabinets are a good Due to the size of our staff it is impractical I have seen the cabinets and they are quite a as office dividers. OGC has this type of arroom divide into two rooms.	at i	his ldit	time ion t	e fo o a	or us to use the caroom and wonder	rful
· · ·						
						25

FORM 1831